

GOVERNMENT OF TELANGANA

ABSTRACT

Public Servants – PR&RD Department – Allegation of misappropriation of Gram Panchayat funds without executing works and executed works with poor quality in Jajapur (V) of Narayanpet(M), Mahabubnagar District – Sri L.Madhu, the then Assistant Executive Engineer, Sub Division Narayanpet, presently working as Assistant Executive Engineer, Sub Division Doultabad (M) - Disciplinary proceedings under Rule 20 of Telangana Civil Services (Classification, Control & Appeal) Rules, 1991 – Article of charges – Issued.

PANCHAYAT RAJ & RURAL DEVELOPMENT (VIG.I) DEPARTMENT

G.O.Rt.No. 668

Dated: 10-09-2018

Read:

ORDER:

It is proposed to hold an enquiry against Sri L.Madhu, the then Assistant Executive Engineer, Sub Division Narayanpet, presently working as Assistant Executive Engineer, Sub Division Doultabad (M) in accordance with the procedure laid down in Rule 20 of the Teangana Civil Services (Classification, Control & Appeal) Rules, 1991.

2. The substance of the imputations of misconduct or misbehavior in respect of which the enquiry is proposed to be held is set out in the enclosed statement of article of charges (Annexure-I). A list of documents by which and a list of witnesses by whom, the article of charges are proposed to be sustained are also enclosed (Annexure-II&III).

3. Sri L.Madhu, the then Assistant Executive Engineer, Sub Division Narayanpet, presently working as Assistant Executive Engineer, Sub Division Doultabad (M) is directed to submit within ten (10) days of the receipt of this order, a written statement of his defence.

4. Sri L.Madhu, the then Assistant Executive Engineer, Sub Division Narayanpet, presently working as Assistant Executive Engineer, Sub Division Doultabad (M) is informed that an enquiry will be held only in respect of article of those charges as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri L.Madhu, the then Assistant Executive Engineer, Sub Division Narayanpet, presently working as Assistant Executive Engineer, Sub Division Doultabad (M) is further informed that if he does not submit his written statement of defence on or before the Period specified in Para 3 above or otherwise fails or refuses to comply with the provisions of Rule 20 of Telangana Civil Services (Classification, Control & Appeal) Rules, 1991 or the orders / directions issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against him ex-parte.

6. Sri L.Madhu, the then Assistant Executive Engineer, Sub Division Narayanpet, presently working as Assistant Executive Engineer, Sub Division Doultabad (M) is invited to Rule 24 of the Telangana Civil Services (Conduct) Rules, 1964, under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt within these proceedings, it will be presumed that Sri L.Madhu, the then Assistant Executive Engineer, Sub Division Narayanpet, presently working as Assistant Executive Engineer, Sub Division Doultabad (M) is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule-24 of the Telangana Civil Services (Conduct) Rules, 1964.

7. The receipt of this G.O. shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)

VIKAS RAJ

PRINCIPAL SECRETARY TO GOVERNMENT (PR&RD) (FAC)

To

Sri L.Madhu, the then AEE, SD, presently working as Assistant Executive

P.T.O.

::2::

Engineer, SD Doultabad (M) **through** the Engineer-in-Chief, PR, Hyderabad.
The Engineer-in-Chief, Panchayat Raj, Hyderabad.

(with a request to serve and return the acknowledged copy and W.S.D.)

Copy to:

The Secretary to VC, TVC, Hyderabad.

The Director General, General Administration (V&E) Department,
BRKR Building, Hyderabad.

(w.r.t. Vigilance Report No.8 (336/V&E/E.III/2016), dt.28.02.2017)

The PR&RD (PR.I) Dept.

SF/SC

//FORWARDED ::BY ORDER//

SECTION OFFICER

ANNEXURE-I

(Annexure to G.O.Rt.No. **668** , PR&RD (Vig.I) Deptt., dt.10.09.2018.)

STATEMENT OF ARTICLE OF CHARGE PROPOSED TO BE SUSTAINED AGAINST SRI L.MADHU, THE THEN ASSISTANT EXECUTIVE ENGINEER, SUB DIVISION NARAYANPET, PRESENTLY WORKING AS AEE, SD, DOULTABAD (M).

CHARGE-I:

That the said Sri L.Madhu, the then AEE (PR) Narayanpet, presently working as AEE SD Doultabad has recorded the work No.6&7 the compressive strength of the CC cores for the above (2) works are not satisfied the required compressive strength i.e not even satisfied for the M15 Grade instead of M30 Grade. Hence the above two works rejected. There is a loss of Rs.1,75,729/- for the work No.6 and Rs.1,94,310/- for work No.7 to the Government exchequer. He prepared the estimates without providing seigniorage charges.

BASIS:

The V&E officials have conducted an enquiry based on the petition received from members of Gram Panchayat Jajapur(V) of Narayanpet(M) of Mahabubnagar district. Accordingly the V&E officials enquired into the allegations of misappropriation of GP funds without executing and executed with poor quality of works in Jajapur(V) of Narayanpet(M) of Mahabubnagar district which stated the above lapses for the work.

Work No.(6): Laying of CC road from Indracharry(H) to Mangali Shanker (H) at Jajapur(V) Narayanpet(M).

The recorded M Book measurements as per specifications are verified with respect the field observation sheet and found tallied. The seigniorage charges are not provided in the estimate data and it was technically sanctioned by the DEE(PR)SD Narayanpet. The estimate was technically sanctioned for an amount of Rs.1.76 lakhs based on the resolution of the GP Jajapur not having the estimated amount in the resolution it is a non notified GP (Minor GP) and having the resolution amount limit up to Rs.1 lakh only as G.O.No.24 PR, dt.12-01-1996.

Work No.7: Laying of CC road from Mangali shanker (H) to Molla Alisab (H) at Jajapur (V) Narayanpet(M).

The recorded M book measurements as per specifications are verified with respect the field observation sheet and found tallied. The seigniorage charges are not provided in the estimate data and it was technically sanctioned by the DEE(PR) SD Narayanpet. The estimate was technically sanctioned for an amount of Rs.1.95 lakhs based on the resolution of the GP Jajapur not having the estimated amount in the resolution it is a non notified GP (Minor GP) and having the resolution amount limit up to Rs.1 lakh only as G.O.No.24 PR, dt.12.01.1996. The above two CC road works ie., Sl.No.6&7 are laid on same day and the cores are extracted from the CC roads for compressive strength test. The results are furnished by the superior lab consultancy service it is found that the (3) CC sample have passed the compressive strength out of the (3) CC samples taken.

Thus, the compressive strength of CC cores are not satisfied the total amount of Rs.1,75,729/- of the work No.6 and Rs.1,94,310/- of the work No.7 is to be recovered from the Sarpanch.

CHARGE - II:

That the said Sri L.Madhu, the then AEE (PR) Narayanpet, presently working as AEE SD Doultabad has recorded the work No.8 with excess quantity of CC road M 20 Grade concrete due to this there is a loss of Rs.17,854/- to Government exchequer seigniorage charges are not deducted in the payment.

BASIS:

The V&E officials have conducted an enquiry based on the petition received from members of Gram Panchayat of Jajapur(V) of Narayanpet(M) of Mahabubnagar district. Accordingly, the V&E officials enquired into the allegations of misappropriation of GP funds without executing and executed with poor quality of works in Jajapur(V) of Narayanpet(M) of Mahabubnagar district, which stated the above lapses for the work.

P.T.O.

Work No.8 construction of side drain from Bombai Narsimhulu(H) to Atkari Seenappa (H) at Jajapur(V) Narayanpet(M).

The recorded M book measurements as per specifications are verified with respect the field observation sheet and found not tallied. The seigniorage charges are not provided in the estimate data but same was not recovered from the bill. The Executive Engineer has check measured the work instead of DEE and not mentioned the date of check measurement. The estimate was technically sanctioned for an amount of Rs.1.48 lakhs based on the resolution of the GP Jajapur without mentioned the amount it is a non notified GP (Minor GP) and having the resolution amount limit up to Rs.1 lakh only as per G.O.No.24, PR, dt.12.01.1996.

CHARGE - III.

That the said Sri L.Madhu, the then AEE(PR) Narayanpet, presently working as AEE SD Doultabad has recorded the work No.9 with excess quantity of CC road M 20 Grade concrete due to this there is a loss of Rs.4601/- to Government exchequer seigniorage charges are not deducted in the payment.

BASIS:

The V&E officials have conducted an enquiry based on the petition received from members of Gram Panchayat Jajapur(V) of Narayanpet(M) of Mahabubnagar district. Accordingly, the V&E officials enquired into the allegations of misappropriation of GP funds without executing and executed with poor quality of works in Jajapur(V) of Narayanpet(M) of Mahabubnagar district which stated the above lapses for the work.

Work No.9: construction of side drain from Srinivas Goud(H) to Driver Thippana (H) at Jajapur (V) Narayanpet(M).

The recorded M book measurements as per specifications are verified with respect the field observation sheet and found not tallied. The seigniorage charges are provided in the estimate data but same was not recovered from the bill. The Executive Engineer has check measured the work instead of DEE and not mentioned the date of check measurement. The estimate was technically sanctioned for an amount of Rs.1.12 lakhs based on the resolution of the GP Jajapur without mentioned the amount it is a non notified GP (Minor GP) and having the resolution amount limit up to Rs.1 lakh only as per G.O.No.24 PR, dt.12.01.1996.

Hence the charge.

CHARGE-IV:

That the said Sri L.Madhu, the then AEE(PR) Narayanpet presently working as AEE SD Doultabad has recorded the work No.10 with excess quantity of CC road M 20 Grade concrete due to this there is a loss of Rs.5423/- to Government exchequer seigniorage charges are not deducted in the payment.

BASIS:

The V&E officials have conducted an enquiry based on the petition received from members of Gram Panchayat Jajapur(V) of Narayanpet(M) of Mahabubnagar district. Accordingly the V&E officials enquired into the allegations of misappropriation of GP funds without executing and executed with poor quality of works in Jajapur(V) of Narayanpet(M) of Mahabubnagar district, which stated the above lapses for the work.

Work No.10: construction of side drain from Kummari china Kanakappa (H) to Erukali Narasappa (H) at Jajapur(V) Narayanpet(M).

The recorded M book measurements as per specifications are verified with respect the field observation sheet and found not tallied. The seigniorage charges are provided in the estimate data but same was not recovered from the bill. The Executive Engineer has check measured the work instead of DEE and not mentioned the date of check measurement. The above (3) side works ie., 8,9& 10 are laid on same day and the cores are extracted from the CC drains for compressive strength. The results are furnished by the superior lab consultancy service, it is found that the (3) CC samples have passed the compressive strength out of the (3) CC samples taken.

Hence the charge.

CHARGE -V:

That the said Sri L.Madhu, the then AEE(PR) Narayanpet, presently working as AEE SD Doultabad the compressive strength of CC cores for the above (3) CC drains works are not satisfied the required compressive strength.

BASIS:

The V&E officials have conducted an enquiry based on the petition received from members of gram Panchayat Jajapur(V) of Narayanpet(M) of Mahabubnagar district. Accordingly, the V&E officials enquired into the allegations of misappropriation of GP funds without executing and executed with poor quality of works in Jajapur(V) of Narayanpet(M) of Mahabubnagar district, which stated the above lapses for the work.

Work No.8: construction of side drain from Bombai Narsimhuly (H) to Atkari Seenappa (H) at Jajapur(V) Narayanpet(M).

Work No.9 construction of side drain from Srinivas Goud(H) to Driver Thippana (H) at Jajapur(V) Narayanpet(M).

Work No.10: construction of side drain from Kummari china Kanakapa(H) to Erukali Narsappa (H) at Jajapur(V) Narayanpet(M).

The above three side works ie., Sl.No.work.No.8,9 & 10 are laid on same day and the cores are extracted from the CC drains for compressive strength test the details are as follows:

The V&E officials have got the CC samples extracted and tested through superior Lab and the results are given below:

Core test: testing results report is enclosed as Annexure-E.

Sl. No	Location	Grade of concrete	Required strength in N/mm2		Strength attained in N.mm2		Remarks
			Ind	Ave	Ind	Ave	
1	Drain @ 13 mts from cc drain of Sl.No.9 R/s on	M20	15	17	9.8	11.03	Not satisfied
2	Drain @ 15 mts from cc drain of Sl.No.10 R/s on	M20	15		8.4		
3	Drain @ 140 mts from cc drain of Sl.No.8 R/s on		15		14.90		

The results are furnished by the superior lab consultancy service it is found that the (3) CC sample have passed the compressive strength out of the (3) CC samples taken.

Thus, Sri L.Madhu, the then AEE, PR, Narayanpet presently working as AEE SD Doultabad has failed to discharge his legitimate duties properly. Thus his action is in violation of Rule (3) of TCS(Conduct) Rules, 1964.

Hence the charge.

VIKAS RAJ
PRINCIPAL SECRETARY TO GOVERNMENT (PR&RD) (FAC)

SECTION OFFICER

ANNEXURE-II

(Annexure to G.O.Rt.No. **668** , PR&RD (Vig.I) Deptt., dt.10.09.2018.)

LIST OF DOCUMENTS BY WHICH THE ARTICLE OF CHARGE IS PROPOSED TO BE SUSTAINED AGAINST SRI L.MADHU, THE THEN ASSISTANT EXECUTIVE ENGINEER, SUB DIVISION NARAYANPET AND PRESENTLY WORKING AS AEE, SD, DOULTHABAD (M).

Vigilance Report No.8 (336/V&E/E.III/2016), dated.28.02.2017 of GA(V&E) Department, Govt., of Telangana.

VIKAS RAJ
PRINCIPAL SECRETARY TO GOVERNMENT (PR&RD) (FAC)

SECTION OFFICER

ANNEXURE-III

(Annexure to G.O.Rt.No. **668** , PR&RD (Vig.I) Deptt., dt.10.09.2018.)

LIST OF WITNESSES BY WHOM ARTICLES OF CHARGES ARE PROPOSED TO BE SUSTAINED AGAINST SRI L.MADHU, THE THEN ASSISTANT EXECUTIVE ENGINEER, SUB DIVISION NARAYANPET AND PRESENTLY WORKING AS AEE, SD, DOULTHABAD (M).

- NIL -

VIKAS RAJ
PRINCIPAL SECRETARY TO GOVERNMENT (PR&RD) (FAC)

SECTION OFFICER